

Intertek



Intertek

The ASTA Diamond Mark is a symbol of electrical safety. It provides evidence for customers and authorities that Intertek has independently tested and certified the product's compliance to applicable safety standards, also that Intertek monitors production and testing to ensure subsequent production continues to comply with stated standards.

This Licence is valid until the review date or earlier if preceded by the withdrawal of the Approval Standard or otherwise withdrawn by the Certification Body. Current validity status can be confirmed by contacting:
Intertek
Hilton House,
Corporation Street,
Rugby, CV21 2DN
United Kingdom
Tel: +44 (0)1788 578435
asta@intertek.com

Details of Approved variants, components and sites are given on Endorsements to this Licence (2 pages)

ASTA Licence

This Licence authorises use of the

ASTA Diamond Mark

Licence No. 445

Organisation:

I-Sheng Electric Wire & Cable Company Limited

52 Tin Hwu Road, Ta Gann Village, Gwai San Hsien, Taiwan, R.O.C.

Product:

Designation:

Colour(s)
250 Volts a.c. 50 Hz
Non-rewirable
Solid brass pins

Fused Plug

SP-61

Black, White & Grey
10 Amperes
Rough use (BS1363/A)
Solid moulded-on construction

Approval Standard:

BS 1363-1: 1995
Incorporating Amendment Nos. 1, 2 & 3

Issue number:

3

Review date:

31st January 2015

Factory Reference:

LQ-497 & LQ-504

R W Hayward

Name

Signature

26th January 2010

Date



010

Approved sites for manufacture/production:

Components & Assembly –

I-Sheng Electronics (Kunshan) Co., Ltd
No. 888, Tai Shan Road
Technical Development Zone
Kunshan
Jiangsu
P.R.C.

I-Sheng Manufacturing (Song Gang) Factory
Tang Xia Yong Road
Song Gang Town
Bao An
Shenzhen
Guangdong
P.R.C. 518105

Conditions for maintenance of Licence:

- 1) Compliance with Certification Regulations.
- 2) Inspection of manufacturing facilities each year with satisfactory outcome.
- 3) Surveillance testing of production samples at required intervals with satisfactory outcome.
- 4) Satisfactory actions in the event of any compliance and/or safety issues becoming known after product has been supplied.
- 5) Prompt payment of invoices.

Licence Renewal:

Licence fee will be invoiced annually during the month of September.

The Licence document will be reissued following any changes advised or variants tested.

A fee may be charged for reissue.

Surveillance samples:

Samples are required to be tested in accordance with Intertek surveillance testing programmes.

Samples should preferably be selected during scheduled Factory inspection visits.

The fee for testing will be invoiced at the time of testing. A summary of testing will be provided.

Use of the ASTA Mark:

The ASTA Mark may be used on the product and in marketing material relating to the product, as permitted by the Certification Regulations.

The Licence number should be marked on the product (mandatory on BS 1363 plugs, where feasible on other products) in a form agreed by Intertek, such as "Approved by ASTA Licence no. 445".

Marketing of product with alternative designation(s) or brand name(s):

This Licence relates only to products specifically described herein. Any alternative designations and/or brand names should be advised to Intertek. The Licence will then be reissued accordingly. Alternative brand names (if applicable) are shown on an Annex to this Licence.

Compliance Testing:

| Reason for test | ASTA reference/certificate |
|--|----------------------------|
| Complete compliance | 13729 |
| Modification – alternative cords | S13766 |
| Modification – alternative manufacturing site | S15369 |
| Annual test with upgrade to Amendment No. 3 of BS 1363-1 | (64875) |

Approved components and cords:**Fuse Links:**

The Plugs must be fitted with ASTA Approved BS 1362: 1973 fuse-links having a rating appropriate to the cord fitted in accordance with Table 2 of BS 1363-1: 1995 incorporating Amendment Nos. 1, 2 and 3.

Flexible cords:

| Maximum Rating Amperes | Cores | | Code | Cable Manufacturer | ASTA Certificate | Remarks |
|---------------------------|-------|---------------------|-----------|-----------------------|---------------------|---------|
| | No | CSA mm ² | | | | |
| 10 | 2 | 0.75 | H05VVH2-F | I-Sheng | S13766 | |
| 10 | 2 | 0.75 | H03VVH2-F | I-Sheng | 13729 | S13766 |